Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L24	939	1 and (second two pair) near4 (rotat\$4 near3 (plate ring))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 12:11
L25	355	l and ((second two pair) near4 (rotat\$4 near3 (plate ring))).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 12:07
L26	0	25 and ((slip near3 ring) and brush).clm.	US-PGPUB; USPAT; EPO; JPO	OR .	OFF	2004/12/12 12:08
L27 .	4	25 and ((slip near3 ring) and brush)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 12:12
L28	410	1 and (first and second) near4 (rotat\$4 near3 (plate ring))	US-PGPUB; USPAT; EPO; JPO	OR -	OFF	2004/12/12 12:12
L29	199	1 and ((first and second) near4 (rotat\$4 near3 (plate ring))).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 12:26
L30	. 6	28 and ((slip near3 ring) and brush)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 12:27
L31	3900	((first and second) near4 (rotat\$4 near3 (plate ring))).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 12:26
L32	7	31 and ((slip near3 ring) and brush).clm.	US-PGPUB; USPAT; -EPO; JPO	OR	OFF ·	2004/12/12 12:38
L33	417	1 and (rotat\$4 near3 brush)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 12:41
L34	135	3 and (rotat\$4 near3 brush)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 12:41
L35	34	3 and (rotat\$4 near3 brush).clm.	US-PGPUB; USPAT; EPO; JPO	OR .	OFF	2004/12/12 13:23
L36	0	3 and ((slip near3 ring) and (rotat\$4 near3 brush)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 12:57
L37	11	3 and ((slip near3 ring) and (rotat\$4 near3 brush))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 12:58
L38	4	35 and "73"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 13:23
L39	1	35 and 73/8\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 13:24

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	99570	(rotation angle torsion torque) near4 (sensor detector indicator transducer gage gauge)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:04
L2	6564	((rotation angle torsion torque) near4 (sensor detector indicator transducer gage gauge)).ti.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:05
L3	17244	((rotation angle torsion torque) near4 (sensor detector indicator transducer gage gauge)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:05
L4 .	291	1 and (slip near3 ring) and brush	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:27
L5	27	2 and (slip near3 ring) and brush	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:06
L6	6	2 and ((slip near3 ring) and brush).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:06
L7	81	3 and ((slip near3 ring) and brush)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:06
L8	16	3 and ((slip near3 ring) and brush).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:07
L9	23	2 and (slip near3 ring) near6 brush	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:06
L10	. 1	2 and ((slip near3 ring) near6 brush).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:06
L11	54	3 and ((slip near3 ring) near6 brush)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:06
L12	10	3 and ((slip near3 ring) near6 brush).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:07
L13	736	1 and (((two plurality second pair double couple) near4 plate) near4 rotat\$5)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:26
L14	41	2 and (((two plurality second pair double couple) near4 plate) near4 rotat\$5)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:41
L15	216	3 and (((two plurality second pair double couple) near4 plate) near4 rotat\$5)	US-PGPUB; USPAT; EPO; JPO	OR :	OFF	2004/12/12 10:26
L16	105	3 and (((two plurality second pair double couple) near4 plate) near4 rotat\$5).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:26

			,	,		,
L17	9	13 and (slip near3 ring) and brush	US-PGPUB; USPAT; EPO; JPO	OR ·	OFF	2004/12/12 10:33
L18	4	14 and (slip near3 ring) and brush	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:27
L19	4	16 and (slip near3 ring) and brush	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:32
L20	0 =	14 and ((slip near4 ring) same (film resin))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:42
L21	1	13 and ((slip near4 ring) same (film resin))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:45
L22	73	4 and (film resin)	US-PGPUB; USPAT; EPO; JPO	OR -	OFF	2004/12/12 10:45
L23	12	4 and ((slip near4 ring) same (film resin))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 10:46